

SCAFFOLDING SAFE SOCKET USER GUIDE



Altrad Generation Hire & Sale

Support for Construction & Industry

Altrad Generation is the UK's leading supplier of: Scaffolding, Temporary Fencing, Light Access, Edge Protection, Safety Decking and Groundworks for hire and sale.

OUR **CUSTOMER COMMITMENT** IS TO DELIVER:



BEST QUALITY

We work closely with our suppliers to ensure consistent product quality every time. All our products are specified to meet or exceed statutory requirements, verified by our Quality Assurance team.



BEST AVAILABILITY

Our nationwide branch network, transport fleet and stock holding ensure we can supply your equipment needs. What, When and Where you need equipment.



BEST PARTNERSHIP

We can take care of all your equipment needs; supplemented by a full range of engineering, design, specification and business services. Our focus is to work together, supporting the growth of your business.



BEST PRICES

Our global supply chain, purchasing and lean business means we don't pass on unnecessary costs to you. We aim to provide consistently low prices and the best value when you buy or hire from us.

Contents

Safe Socket Introduction

Introduction	3
Contents	3

Using Safe Socket

Instructions	4
--------------------	---

Safe Socket Parts

Parts	5
-------------	---

Disclaimer & Copyright

Disclaimer & Copyright	6
------------------------------	---

Safe Socket Introduction

Introduction

The Safe Socket tool set is designed to enable a range of common components to be tightened using an impact driver, without the need to remove the 21mm socket from the 1/2" square drive.

Contents



**Only Available
As A Set**

Code
Y47000

Using Safe Socket

1.

Fit the 21mm Safe Socket to 1/2" square drive impact driver and secure using the steel pin and rubber band supplied.




2.

To attach the Safe Socket adapters, depress the integrated spring and push firmly into the Safe Socket ensuring the pin engages fully with the Safe Socket locating hole.



Safe Socket Parts

Code	Description	
Y47000	<p>Safe Socket Adapter/21mm Driver</p> <p>Fitted to a 1/2" sq drive. Secure using steel pin Y47007 and rubber ring Y47008. Can be used to drive 21mm HEX heads.</p>	
Y47000	<p>Safe Socket 1/2" Square Drive</p> <p>Fitted to safe socket adapter. 1/2"sq drive socket.</p>	
Y47000	<p>Safe Socket Eye Bolt</p> <p>Fitted into the safe socket adapter. Used to tighten eye bolts and band and plate connections.</p>	
Y47000	<p>Safe Socket 8mm Driver</p> <p>Fitted into the safe socket adapter. 8mm HEX socket used to tighten timber and metal screws.</p>	
Y47000	<p>Safe Socket 19mm Driver</p> <p>Fitted into the safe socket adapter. 19mm HEX socket for M12 nuts and bolts, concrete ring screws, European scaffold fittings.</p>	
Y47000	<p>Safe Socket 22mm Driver</p> <p>Fitted into the safe socket adapter. 22mm HEX socket for M14 nuts and bolts, concrete ring screws, and European scaffold fittings.</p>	
The Altrad Generation Safe Socket is Only Available As A Set		

Disclaimer & Copyright

Disclaimer

Whilst Generation (UK) Ltd has taken every reasonable effort to ensure the information contained within this publication is correct and complete at the time of printing, you should be aware that there will be periodical changes and Generation (UK) Ltd does not accept any liability for any inconvenience, loss or damage caused as a result of any inaccuracy or omission within this publication.

Copyright

No unauthorised reproduction of any images, text or other matter contained herein is permitted. All rights are expressly reserved, including copyright, design right, moral and patent rights (where applicable). We reserve the right to take legal action in respect of any infringement of said rights.



**SCAN ME
TO FIND**



**YOUR LOCAL
BRANCH**



**GENERATION
HIRE & SALE**

Generation UK Ltd.
Generation Head Office, Trinity Street, Off Tat Bank Road, Oldbury, West Midlands, B69 4LA - United Kingdom
Tel. 0121 543 2950 - Fax. 0121 543 2953 - enquiries@generationuk.co.uk
www.altradgeneration.com